

S DTIC ELECTE OCT 24 1990 E

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

90 10 23 156

Effects of Multiple Cold Air Exposures on Delayed Matching To Sample Performance

D. W. Armstrong and J. R. Thomas

NMRI 90-87



DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

ITY CLASSIFICATION OF THIS PAGE					
,	REPORT DOCUM	MENTATION	PAGE	, 	
PORT SECURITY CLASSIFICATION		16. RESTRICTIVE	MARKINGS -		
UNCL CURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT (
		Approved for public release;			
CLASSIFICATION / DOWNGRADING SCHEDU	CLASS-FICATION / DOWNGRADING SCHEDULE		distribution is unlimited		
FORMING ORGANIZATION REPORT NUMBER	R(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)			
NMRI 90-87					
ME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF MONITORING ORGANIZATION			
laval Medical Research	(If applicable)	Naval Medical Command			
IDRESS (City, State, and ZIP Code)	<u> </u>	7b. ADDRESS (City, State, and ZIP Code)			
-901 Wisconsin Avenue -ethesda, MD 20814-5055	901 Wisconsin Avenue		Department of the Navy Washington, DC 20372-5120		
Tethesda, No 20014-3033		wasni	ngton, DC 2	.03/2-5120	
ME OF FUNDING SPONSORING	8b. OFFICE SYMBOL	9. PROCUREMEN	T INSTRUMENT I	DENTIFICATION	NUMBER
RGANIZATION Naval Medical search & Development Comman	(If applicable)	1			
DORESS (City, State, and ZIP Code)	<u> </u>	10. SOURCE OF	FUNDING NUMBE	RS	
901 Wisconsin Avenue		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
ethesda, MD 10814-5044			MR04120_	00B-1058	DN240517
TLE (Include Security Classification)		61153N	MR04120	100P-1030	DN240317
		awad matchi	na to campl	o porforma	nce
fects of multiple cold air	exposures on del	ayed matchin	ig to sample	e perioriiai	100
David W. Armstrong and John	R. Thomas				
YPE OF REPORT 13b. TIME C		14. DATE OF REPO	ORT (Year, Month	, <i>Day</i>) 15. PAC	SE COUNT
Interim Report FROM 10/89 TO 9/94 90/4/2 JPPLEMENTARY NOTATION					
J. C. M. C.					
COSATI CODES	18. SUBJECT TERMS (Continue on reven	to if necessary as	nd identify by h	lock number)
IELD GROUP SUB-GROUP	18. SOBJECT TEXING	continue on rever	of it received to	,, ., .,	
No.	Cold, Cognit	tive Ovvoen	consumntio	n	t 01
BSTRACT (Continue on reverse if necessary			Consumption		
			wod match	ing to sa	umnle (DMS)
Acute exposure to moderate cold impairs delayed matching to sample (DMS) formance in both animal and man. The effect of multiple cold air (2.6±0.6					
exposures on DMS perfo	ormance was i	nvestigate	d in this	s study.	Twelve men
cformed the DMS task during a 45 minute (min) exposure to cold air on Day					
Ovugen consumption (VO) was measured concurrently. After completion of Day					
subjects were assigned to two groups. Group W performed the DMS task on					
7s 2 to 11 in warm air (22°C) during a 45 min period before sitting in cold for 45 min. Group C performed the DMS task during a 45 min exposure to					
ld air on days 2 to 11. On Day 12, all subjects were exposed to cold air as					
Day 1 VO was measured concurrently on Days 4 and 8. DMS periormance was					
unificantly impaired in all subjects during exposure to cold air on Day 1					
•					
STRIBUTION/AVAILABILITY OF ABSTRACT 21. ABSTRACT SECURITY CLASSIFICATION					
IUNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS Unclassified NAME OF RESPONSIBLE INDIVIDUAL 22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL					SYMBOL
NAME OF RESPONSIBLE INDIVIDUAL legina E. Hunt, Command Edit	or	(202) 295-	0198	SD/RSD/	NMR I
ORM 1473, 84 MAR 83 APR edition may be used until exhausted. SECURITY CLASSIFICATION OF THIS PAGE					

83 APR edition may be used until exhausted. All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

when compared to baseline DMS performance. Performance on the DMS was ficantly different between the groups on Day 12. Group W performance was ifferent on Day 12 when compared to Day 1. Group C performance was not rent from baseline on Day 12 and was significantly improved when compared y 1. VO2 was elevated in the cold but was not different between groups. as not different on Day 12 when compared to Day 1. DMS is affected by exposure to cold air. Performance on the DMS task improves with repeated air exposure only when the DMS task is repeatedly performed in cold air.

TABLE OF CONTENTS

	<u>Page No.</u>
Acknowledgements	iv
Introduction	1
Purpose	1
Methods	1
Results	2
Conclusion	3
References	4
Figure Legends	5
Appendix	6

Acces	sion For			
NTIS	GRA&I	À		
DTIC	TAB			
Unannounced 🔲				
Justification				
	ribution/	Codes		
Dist	Avail an Specia			
A-				



ACKNOWLEDGEMENTS

This work was supported by the Naval Medical Research and Development Command Work Unit Number 61153N.MR04120.00B-1058. The opinions and assertions reported herein are those of the authors and are not to be construed as official or reflecting the views of the Department of Defense, the Department of Navy, or the Naval Service at large.

INTRODUCTION

Exposure to moderate cold temperature is reported to impair performance on various cognitive tasks. Complex cognitive tasks are more likely influenced by cold than are simpler tasks. Prior work has demonstrated a decline in performance on the delayed matching to sample (DMS) task in cold environments. Performance disruption in cold air is influenced by length of delay when compared with DMS performance in a warm environment. The effects of acute cold air exposure on the DMS task are similar in the rat and human models. There is little research regarding the effect of repeated cold exposure on DMS performance or the effect of repeated performance on the DMS task in the cold over successive days.

PURPOSE

The purpose of this study was to investigate the effect of 2.6° C air on DMS performance after 10 consecutive days of practicing the DMS task in contrasting conditions of 22° C or 4° C air. Additionally, the metabolic response to 12 days of repeated 4° C air exposures of 45 minutes duration was investigated.

METHODS

- 1: To establish a baseline performance, prior to cold exposure, subjects performed at least 10 sessions on the DMS task in warm (22° C) air. The DMS task is performed on a computer as the subject views a 6x6 displayed grid of 36 red and yellow blocks arranged in a random pattern. Two seconds later the screen blanks, and after a delay of 2, 8, or 16 seconds a second display appears. The subject must decide whether the second display is the "same" or "different" from the first display. Each session consists of 99 trials with a random presentation of 33 trials at each delay.
- 2: On day 1, subjects arrived at the lab after an overnight fast and changed to T-shirt, shorts, and socks. Oxygen consumption was measured during 15 minutes of seated rest with a calibrated Sensormedics 2900 metabolic cart in the dilution mode. The subject then entered a cold air chamber and sat on an open backed chair in front of a computer screen. Maintaining an open body

position, the subject sat for 15 minutes before beginning the DMS task. Total exposure to cold air was 45 minutes. Oxygen consumption was measured continuously.

- 3: After completion of day 1, subjects were assigned to one of two groups. Six subjects daily performed the DMS task in warm (22° C) air and then entered a cold air chamber and sat quietly for 45 minutes per day for 10 days. Six other subjects daily performed the DMS task in cold (2.6° C) air for a total of 45 minutes duration per day for 10 days.
- 4: On day 12, subjects repeated the procedures of day 1.
- 5: All subjects were measured for body composition by use of Lange skinfold calipers. The anatomic sites used were the pectoral, umbilicus, and the midthigh.
- 6: All subjects were tested for maximal aerobic capacity during a continuous graded cycle ergometry test. Oxygen consumption was measured by a calibrated Sensormedics 2900 metabolic cart.
- 7: SAS 5.18 software was used to analyze the data. Where applicable, one-way ANOVA, covariance, and regression techniques were used to reduce the data. Data are reported as means \pm standard error of the mean; significance was set at p<.05.

All testing was completed in the morning after an overnight fast.

Subjects, dressed in T-shirt, shorts, and socks, sat quietly for 15 minutes prior to beginning the DMS task. Oxygen consumption was also measured on days 4 and 8.

RESULTS

- 1: Subject characteristics are listed in Table 1.
- 2: DMS performance (percent correct) declined significantly in both groups during exposure to cold air on day 1. By day 12, DMS performance for the Cold group had returned to baseline and was not different from baseline at any delay. Performance in the Warm group, however, was significantly decreased from baseline and was not different from the decrease in accuracy observed on day 1 at any delay (Fig. 1, 2, 3, 4).

- 3: ANOVA, for differences between groups, of the individual slopes and intercepts for percent correct regressed. Days 2 to 11, with day 1 as a covariate, were not different at the 2 and 8 second delays (Fig. 5, 6) but were different at the 16 second delay (Fig. 7). The Cold group responded to the daily cold exposure by improving DMS performance at the 16 second delay, while the Warm group did not demonstrate improvement.
- 4: Oxygen consumption was not different between groups at rest $(3.88\pm17 \text{ ml} O_2/\text{kg/min})$ or during cold $(6.49\pm0.8 \text{ ml} O_2/\text{kg/min})$ air exposure. Oxygen consumption in warm air or cold air was not different on days 4, 8, or 12 compared with day 1. DMS performance did not affect oxygen consumption.

CONCLUSION

- 1: Acute exposure to moderate cold air results in a decline in DMS performance when compared with baseline.
- 2: DMS performance **improves** with repeated daily practice in a cold environment.
- 3: Improvement on the DMS task in cold air does not occur with repeated daily practice in a warm environment followed by cold exposure.
- 4: The metabolic response was not different between sitting quietly in cold air or performing the DMS task in cold air. It was also not different between sitting quietly in warm air or performing the DMS task in warm air.
- 5: Oxygen consumption was not different within warm or cold air exposure conditions after 12 repeated cold air exposures of 45 minutes duration.

REFERENCES

- Coleshaw, S. R. K., R. N. M. Van Someren, A. H. Wolff, H. M. Davis, and W. R. Keatinge. Impaired memory registration and speed of reasoning caused by low body temperature. <u>J. Appl. Physiol.</u> 55 (1983) pp. 27-31.
- 2. Ellis, H. D., S. E. Wilcock, and S. A. Zaman. Cold and performance: the effects of information load, analgesics, and the rate of cooling.

 <u>Aviat. Space. and Environ. Med.</u> 56 (1985) pp. 233-237.
- Sharma, V. M. and M. R. Panwar. Variations in mental performance under moderate cold stress. <u>Int. J. Biometeor.</u> 31 (1987) pp. 85-91.
- 4. Thomas, J. R., S. T. Ahlers, and J. Schrot. Cold-induced impairment of delayed matching in rats. <u>Behav. and Neuro. Biology</u> (in press)
- 5. Thomas, J. R., S. T. Ahlers, J. F. House, and J. Schrot. Repeated exposure to moderate cold impairs matching-to-sample performance.

 Aviat. Space and Environ. Med. 60 (1989) pp. 1063-1067.

FIGURE LEGENDS

- Figure 1: Percent correct response at the 2, 8, and 16 second delays on the DMS task at baseline and day 1 to day 12 for the Warm group.
- Figure 2: Percent correct response at the 2, 8, and 16 second delays on the DMS task at baseline and day 1 to day 12 for the Cold group.
- Figure 3: Percent correct response on the DMS task for baseline, day 1, and day 12 at the 2, 8, and 16 second delays for the Warm group.
- Figure 4: Percent correct response on the DMS task for baseline, day 1 and day 12 at the 2, 8, and 16 second delays for the Cold group.
- Figure 5: Percent correct response on the DMS task for the 2 second delay on days 2 to 12 in both groups.
- Figure 6: Percent correct response on the DMS task for the 2 second delay on days 2 to 12 in both groups.
- Figure 7: Percent correct response on the DMS task for the 2 second delay on days 2 to 12 in both groups.


APPENDIX

TABLE 1. SUBJECT CHARACTERISTICS


	WARM	COLD
N	6	6
AGE	30 <u>+</u> 3	31 <u>+</u> 1
HEIGHT	180 <u>+</u> 4	173 <u>+</u> 4*
WEIGHT	77 <u>+</u> 5	72 <u>+</u> 3*
SUM SF	50 <u>+</u> 10	41 <u>+</u> 3
% FAT	15 <u>+</u> 3	13 <u>+</u> 1
HRMAX	176 <u>+</u> 3	178 <u>+</u> 3
V ₀₂ PEAK L/MIN	3470 <u>+</u> 298	2863 <u>+</u> 180*
V ₀₂ PEAK ML/KG/MIN	43.3 <u>+</u> 4.3	38.5 <u>+</u> 1.6*

MEAN<u>+</u>SE *P<.05

MATCHING TO SAMPLE WARM GROUP



MATCHING TO SAMPLE COLD GROUP



DAY 12 16 SEC MATCHING TO SAMPLE WARM GROUP DELAY 8 SEC BASELINE SEC FIGURE 95 73 62 40 84 51 CORRECT

